Test Log Advanced Distributed Learning (ADL) Sharable Content Object Reference Model (SCORM®) Version 1.2 Test Suite Version 1.2.7 **Auditor Test Log** i **Test Identification Information:** Date: Wednesday, February 22, 2006 11:15:10 AM Content Package Product: Articulate Global **Content Package Version: 5.0** Content Package Vendor/Developer: Quiz Maker Sample Content i i Reading and parsing the Manifest. i This may take a few minutes, please be patient. i

Manifest Test Conformance Summary

- The manifest is well-formed
- The manifest is valid against the controlling documents
- The manifest is valid against the SCORM Application Profiles
- The manifest does NOT contain extensions

Click here to view complete manifest test log

- **I** Testing next meta-data file:
- **1** --- for parent element: manifest
- •---with ID: LMSTest12

Meta-Data Test Conformance Summary
 Meta-data is well-formed
 Meta-data is valid against the Schema
 Extension element(s) have not been used
 Click here to view complete meta-data test log

The following SCOs were found in the package
 C:/ADL/TestSuite1_2_7/TestSuite/contentpackage/tempdir/PackageImport/index_lms.html

 Test Identification Information: Date: Wednesday, February 22, 2006 11:15:42 AM SCO: C:/ADL/TestSuite1_2_7/TestSuite/contentpackage/tempdir/PackageImport/index_lms. html

- **I** Starting Auditor Test
- Loading the Sharable Content Object
- Attempting to Launch SCO C:/ADL/TestSuite1_2_7/TestSuite/contentpackage/tempdir/PackageImport/index_lms.html
- **I** SCO is searching for the API Adapter
 - SCO was able to find the API Adapter
- LMSInitialize() has been invoked
- LMSInitialize() finished successfully
- LMSGetValue(cmi.core.lesson_mode) has been invoked
- Value returned from LMS: [normal]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- **i** Last Error: 0

- LMSGetLastError() finished successfully
- LMSGetValue(cmi.core.lesson_mode) has been invoked
- Value returned from LMS: [normal]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- **i** Last Error: 0
- LMSGetLastError() finished successfully
- LMSGetValue(cmi.core.lesson_status) has been invoked
- **I** Value returned from LMS: [not attempted]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- Last Error: 0
- LMSGetLastError() finished successfully
- LMSSetValue(cmi.core.lesson_status,incomplete) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.core.exit,suspend) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.core.lesson_status,incomplete) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.core.session_time,0000:00:00.6) has been invoked
- LMSSetValue() finished successfully
- LMSCommit() has been invoked
- LMSCommit() finished successfully
- LMSGetValue(cmi.interactions._count) has been invoked
- Value returned from LMS: [0]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- Last Error: 0
- LMSGetLastError() finished successfully

- LMSSetValue(cmi.interactions.0.id,I0001-1) has been invoked i.
- ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.type,true-false) has been invoked i.
- ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.student_response,t) has been invoked î.
- ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.correct_responses.0.pattern,f) has been invoked i ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.result,wrong) has been invoked i
- ⋞ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.weighting,1) has been invoked i
- ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.latency,0000:00:05.0) has been invoked i
- ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.objectives.0.id,I0001-1) has been invoked i
- ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.0.time,11:15:50) has been invoked i
- ∢. LMSSetValue() finished successfully
- i LMSGetValue(cmi.interactions. count) has been invoked
- Value returned from LMS: [1] i
- ∢ LMSGetValue() finished successfully
- LMSGetLastError() has been invoked i
- Last Error: 0 i.
- √ LMSGetLastError() finished successfully
- i LMSSetValue(cmi.interactions.1.id,I0002-1) has been invoked
- ∢ LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.1.type, choice) has been invoked i ∢
 - LMSSetValue() finished successfully

- LMSSetValue(cmi.interactions.1.student_response,Earth) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.1.correct_responses.0.pattern,Neptune) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.1.result,wrong) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.1.weighting,1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.1.latency,0000:00:04.0) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.1.objectives.0.id,I0002-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.1.time,11:15:57) has been invoked
- LMSSetValue() finished successfully
- LMSGetValue(cmi.interactions._count) has been invoked
- **1** Value returned from LMS: [2]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- **i** Last Error: 0
- LMSGetLastError() finished successfully
- LMSSetValue(cmi.interactions.2.id,I0003-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.2.type,choice) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.2.student_response,Mercury) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.2.correct_responses.0.pattern,Mars,Earth,Venus,Mercury) has been invoked
- LMSSetValue() finished successfully

- LMSSetValue(cmi.interactions.2.result,wrong) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.2.weighting,1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.2.latency,0000:01:35.0) has been invoked
 LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.2.objectives.0.id,I0003-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.2.time,11:17:33) has been invoked
- LMSSetValue() finished successfully
- LMSGetValue(cmi.interactions._count) has been invoked
- Value returned from LMS: [3]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- **i** Last Error: 0
- LMSGetLastError() finished successfully
- LMSSetValue(cmi.interactions.3.id,I0004-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.3.type,fill-in) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.3.student_response,Mercury) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.3.correct_responses.0.pattern,Mercury) has been invoked
 LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.3.result,correct) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.3.weighting,1) has been invoked
- LMSSetValue() finished successfully

- LMSSetValue(cmi.interactions.3.latency,0000:00:17.0) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.3.objectives.0.id,I0004-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.3.time,11:17:51) has been invoked
- LMSSetValue() finished successfully
- LMSGetValue(cmi.interactions._count) has been invoked
- **1** Value returned from LMS: [4]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- **i** Last Error: 0
- LMSGetLastError() finished successfully
- LMSSetValue(cmi.interactions.4.id,I0005-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.type,fill-in) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.student_response,Kepler's Third Law) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.correct_responses.0.pattern,Kepler's Third Law) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.result,correct) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.weighting,1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.latency,0000:00:56.0) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.objectives.0.id,I0005-1) has been invoked

- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.4.time,11:19:45) has been invoked
- LMSSetValue() finished successfully
- LMSGetValue(cmi.interactions._count) has been invoked
- **1** Value returned from LMS: [5]
- LMSGetValue() finished successfully
- LMSGetLastError() has been invoked
- **i** Last Error: 0
- LMSGetLastError() finished successfully
- LMSSetValue(cmi.interactions.5.id,I0006-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5.type,matching) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5. student_response,1.4_880_km,2.12_103.6_km,3.142_984_km) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5.correct_responses.0. pattern,1.4_880_km,2.12_103.6_km,3.142_984_km) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5.result,correct) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5.weighting,1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5.latency,0000:00:19.0) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5.objectives.0.id,I0006-1) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.interactions.5.time,11:20:05) has been invoked
- LMSSetValue() finished successfully

- LMSSetValue(cmi.core.session_time,0000:04:34.71) has been invoked
- LMSSetValue() finished successfully
- LMSSetValue(cmi.core.exit,suspend) has been invoked
- LMSSetValue() finished successfully
- LMSCommit() has been invoked
- LMSCommit() finished successfully
- LMSFinish() has been invoked
- LMSFinish() finished successfully
- **I** SCO is no longer initialized

Notice .
SCORM 1.2 Run-Time Environment Conformant
SCO-RTE1+Mandatory and Optional
Features Supported:
API Support
Find an LMS provided API Adapter
i Execution State:
 LMSInitialize()
 LMSFinish()
Data Transfer:
LMSGetValue()
 LMSSetValue() LMSCommit()
 LMSCommit()
I State Management:
LMSGetLastError()
Data Model Support
SCORM Run-Time Environment Data Model
<pre>cmi.core.lesson_mode</pre>
<pre>cmi.core.lesson_status</pre>
cmi.core.lesson_mode cmi.core.lesson_status cmi.core.exit cmi.core.session_time cmi.interactionscount cmi.interactions.0.id
<pre>cmi.core.session_time</pre>
<pre>cmi.interactionscount</pre>
<pre>cmi.interactions.0.id</pre>
 cmi.interactions.0.type
- eminiteractions.o.type

∢

∢

√

•

•

•

•

•

√

•

√

•

•

•

•

•

•

•

•

•

•

~

•

~

•

•

•

•

•

•

cmi.interactions.0.student_response cmi.interactions.0.correct_responses.0.pattern cmi.interactions.0.result cmi.interactions.0.weighting cmi.interactions.0.latency cmi.interactions.0.objectives.0.id cmi.interactions.0.time cmi.interactions.1.id cmi.interactions.1.type cmi.interactions.1.student_response cmi.interactions.1.correct_responses.0.pattern cmi.interactions.1.result cmi.interactions.1.weighting cmi.interactions.1.latency cmi.interactions.1.objectives.0.id cmi.interactions.1.time cmi.interactions.2.id cmi.interactions.2.type cmi.interactions.2.student_response cmi.interactions.2.correct_responses.0.pattern cmi.interactions.2.result cmi.interactions.2.weighting cmi.interactions.2.latency cmi.interactions.2.objectives.0.id cmi.interactions.2.time cmi.interactions.3.id cmi.interactions.3.type cmi.interactions.3.student_response cmi.interactions.3.correct_responses.0.pattern cmi.interactions.3.result cmi.interactions.3.weighting cmi.interactions.3.latency cmi.interactions.3.objectives.0.id cmi.interactions.3.time

√

∢

√

•

•

•

•

•

~

•

~

•

•

√

•

cmi.interactions.4.id cmi.interactions.4.type cmi.interactions.4.student_response cmi.interactions.4.correct_responses.0.pattern cmi.interactions.4.result cmi.interactions.4.weighting cmi.interactions.4.latency cmi.interactions.4.objectives.0.id cmi.interactions.4.time cmi.interactions.5.id cmi.interactions.5.type cmi.interactions.5.student_response cmi.interactions.5.correct_responses.0.pattern cmi.interactions.5.result cmi.interactions.5.weighting cmi.interactions.5.latency cmi.interactions.5.objectives.0.id cmi.interactions.5.time

<u>Al</u>

Package is SCORM Version 1.2 ADLCP-PIF1 Conformant